

FIG. 1




FIG. 2




FIG. 3a




FIG. 3b




FIG. 3c




FIG. 4a




FIG. 4b




FIG. 4c

500




FIG. 5a




FIG. 5b




FIG. 6a




FIG. 7a

INPUT ENGINE




FIG. 7b

COMMAND ENGINE




FIG. 7c

APPLICATION SUPPORT




FIG. 7d

DESIGNATION ENGINE





FIG. 7e

516 ENHANCEMENT ENGINE









FIG. 8e




FIG. 8f




FIG. 8g




FIG. 6a




FIG. 6b





FIG. 6c





FIG. 6e







FIG. 10-2






FIG. 8

FIG. 5




FIG. 10




FIG. 11b




FIG. 11A

USING GENERIC ROOTS
MANIPULATING THE INTERFACE
TRAVERSING THE INTERFACE
SORTING MESSAGES
MERGING MESSAGES
INTERACTING WITH THE ADDRESS BOOK
CONTROLLING DATA REMOTELY
USING ALTERNATIVES
USING ENHANCEMENTS
USING SUBSTITUTING

EMAIL
EXAMPLE
COMMAND
EXECUTION
MODULES

FIG. 12




FIG. 13




FIG. 14




FIG. 19
NEW COMMAND/CONVERSION

FIG. 20






FIG. 21

Continue/repose/rythem




Remote Handling

(predominant circumstances)



- Each potentially including data carrying
- The farms (primarily) better backed up

Illustrated using folders, but applies to any such re-direction



eg: (GOTO <foldername> Messages